



**CERTIFICATE OF ANALYSIS**  
 Reported by Alloway - Marion  
 Chain of Custody attached

Adrian, City of  
 Attn: Tim Ritchie  
 815 Bent Oak Ave.  
 Adrian, MI 49221

Lab Project # M19-36674  
 Received: 12/3/2019  
 Reported: 12/9/2019  
 Date/Time Sampled: 12/02/2019 09:35  
 Sampled By: NK  
 Sampled Matrix: Surfacewater  
 Containers: 1  
 Collection Method: Grab

Project Name:

Sample ID: Raw Lake  
 Lab Sample # M19-36674-01

Analyte	Results	Units	PQL	Analyst	Extraction Date	Analysis Start Date/Time
Analytical Method: OEPA DES 705.0 Rev. 1.0		Preparation Method:		Validation Date: 12/9/2019		
Cyanobacteria, Total (16S)	504	Gene Copies/ $\mu$ L	0.180	BMK	12/03/2019	12/06/2019 20:10
Microcystins / Nodularin	<0.180	Gene Copies/ $\mu$ L	0.180	BMK	12/03/2019	12/06/2019 20:10
Cylindrospermopsin	<0.180	Gene Copies/ $\mu$ L	0.180	BMK	12/03/2019	12/06/2019 20:10
Saxitoxin	<0.180	Gene Copies/ $\mu$ L	0.180	BMK	12/03/2019	12/06/2019 20:10

Analysis Certified By: Erin L. Hohman

Erin L. Hohman

*This report shall not be reproduced, except in its entirety, without the written approval of the laboratory. The results presented on this Certificate of Analysis only reflect those parameters that were requested by the client on the chain of custody or other documentation received with the sample(s). The analytical results relate only to the items tested. Analytical results are based on dry-weights for solid samples, unless otherwise specified.*



**CERTIFICATE OF ANALYSIS**  
 Reported by Alloway - Marion  
 Chain of Custody attached

Adrian, City of  
 Attn: Tim Ritchie  
 815 Bent Oak Ave.  
 Adrian, MI 49221


Lab Project # M19-36674  
 Received: 12/3/2019  
 Reported: 12/9/2019  
 Date/Time Sampled: 12/02/2019 08:58  
 Sampled By: NK  
 Sampled Matrix: Surfacewater  
 Containers: 1  
 Collection Method: Grab

Project Name:

Sample ID: Raw Blend  
 Lab Sample # M19-36674-02

Analyte	Results	Units	PQL	Analyst	Extraction Date	Analysis Start Date/Time
Analytical Method: OEPA DES 705.0 Rev. 1.0		Preparation Method:		Validation Date: 12/9/2019		
Cyanobacteria, Total (16S)	135	Gene Copies/μL	0.180	BMK	12/03/2019	12/06/2019 18:10
Microcystins / Nodularin	<0.180	Gene Copies/μL	0.180	BMK	12/03/2019	12/06/2019 18:10
Cylindrospermopsin	<0.180	Gene Copies/μL	0.180	BMK	12/03/2019	12/06/2019 18:10
Saxitoxin	<0.180	Gene Copies/μL	0.180	BMK	12/03/2019	12/06/2019 18:10

Analysis Certified By: \_\_\_\_\_



Erin L. Hohman

*This report shall not be reproduced, except in its entirety, without the written approval of the laboratory.*

*The results presented on this Certificate of Analysis only reflect those parameters that were requested by the client on the chain of custody or other documentation received with the sample(s). The analytical results relate only to the items tested. Analytical results are based on dry-weights for solid samples, unless otherwise specified.*