



**CERTIFICATE OF ANALYSIS**  
 Reported by Alloway - Marion  
 Chain of Custody attached

Adrian, City of  
 Attn: Tim Ritchie  
 815 Bent Oak Ave.  
 Adrian, MI 49221

Lab Project # M20-22789  
 Received: 6/16/2020  
 Reported: 6/19/2020  
 Date/Time Sampled: 06/15/2020 08:00  
 Sampled By: NK  
 Sampled Matrix: Surfacewater  
 Containers: 1  
 Collection Method: Grab

Project Name: Water Plant  
  
 Sample ID: Raw Lake  
 Lab Sample # M20-22789-02

Analyte	Results	Units	PQL	Analyst	Extraction Date	Analysis Start Date/Time
Analytical Method: OEPA DES 705.0 Rev. 1.0		Preparation Method:		Validation Date: 6/19/2020		
Cyanobacteria, Total (16S)	1820	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Microcystins / Nodularin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Cylindrospermopsin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Saxitoxin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58

Analysis Certified By:   
 Rhonda C Morris

*This report shall not be reproduced, except in its entirety, without the written approval of the laboratory.  
 The results presented on this Certificate of Analysis only reflect those parameters that were requested by the client on the chain of custody or other documentation received with the sample(s). The analytical results relate only to the items tested. Analytical results are based on dry-weights for solid samples, unless otherwise specified.*



**CERTIFICATE OF ANALYSIS**  
 Reported by Alloway - Marion  
 Chain of Custody attached

Adrian, City of  
 Attn: Tim Ritchie  
 815 Bent Oak Ave.  
 Adrian, MI 49221

Lab Project # M20-22789  
 Received: 6/16/2020  
 Reported: 6/19/2020  
 Date/Time Sampled: 06/15/2020 07:25  
 Sampled By: NK  
 Sampled Matrix: Surfacewater  
 Containers: 1  
 Collection Method: Grab

Project Name: Water Plant  
 Sample ID: Raw Blend  
 Lab Sample # M20-22789-01

Analyte	Results	Units	PQL	Analyst	Extraction Date	Analysis Start Date/Time
Analytical Method: OEPA DES 705.0 Rev. 1.0		Preparation Method:		Validation Date: 6/19/2020		
Cyanobacteria, Total (16S)	244	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Microcystins / Nodularin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Cylindrospermopsin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58
Saxitoxin	<0.180	Gene Copies/μL	0.180	BMK	06/16/2020	06/17/2020 14:58

Analysis Certified By:   
 Rhonda C Morris

*This report shall not be reproduced, except in its entirety, without the written approval of the laboratory. The results presented on this Certificate of Analysis only reflect those parameters that were requested by the client on the chain of custody or other documentation received with the sample(s). The analytical results relate only to the items tested. Analytical results are based on dry-weights for solid samples, unless otherwise specified.*