Waivers Land Development Code Section 9

CITY OF GUNNISON DEVELOPMENT ASSISTANCE PACKET

This Development Assistance Packet has been prepared for your convenience and assistance in processing land use applications in the City of Gunnison. You should note that this Development Assistance Packet contains excerpts from the *City of Gunnison Land Development Code* (*LDC*). Please be advised that the *LDC* is amended from time to time and such amendments may not be included within the Development Assistance Packet. It is your responsibility to review the entire *LDC* and all amendments thereto, which are maintained in the office of the City Clerk, to determine if you have all of the current ordinances related to the *City of Gunnison Development Code* and what effect, if any, the *LDC* has on your property, project, or application.


Prepared by the City of Gunnison Community Development Department (970) 641-8090

December 2021

Land Use Development Application <i>City of Gunnison Land Development C</i> Minimum Application Contents In accordance with §6.5 C.		City of Gunnison P.O. Box 239 Gunnison, CO 81230 (970)641-8090
Applicant Name(s):		
Phone #:	E-Mail:	
	State:	
Legal Description		
Site Address of Property:		Zoning
Block:Lot(s):	Addition:	
Disclosure of Ownership- Please p	rovide <u>one</u> of the following:	
Assessor Parcel Info	Mortgage Deed	Judgments
Liens Contra	ect Easement Agreement	Other Agreements
-		otion of Proposal
-	Adjoining Property Owners (From Ass uthorization of Agent (Power of Attorn	
Site Plan (11"x17") to scale , inc snow storage, landscaping, live cover	cludes dimensions and location of all st r, utility lines, road/street names, land u quirements based on §2.6. (See attach	ructures, parking spaces and access, uses of adjacent properties, setbacks.
SUBMIT ONE PAPE	R COPY OF YOUR APPLICATION	PLUS A DIGITAL COPY
Signature(s)	I	Date
	Ι	Date
	For Office Use Only	
Conditional Use	Variance Zoning Am	endment
☐ Major Subdivision ☐ M	Minor Subdivision 🗌 Subdivision	n Exemption
□ Mobile Home/RV Park □	PUD 🗌 Vacation	Consolidated Application

THIS PAGE INTENTIONALLY LEFT BLANK

SAMPLE SITE PLAN



APPLICANT NAME:

SITE ADDRESS:

11 X 17 SITE PLAN

Dimensional Standards:

DimensionRequiredActualProvide total parcel size and lot frontage

Provide the applicable percentage of coverage for structures (foot print) and parking and access based on zone district of site.

Provide the applicable percentage of coverage for landscaping based on zone district of site.

Landscaping Requirements:

Illustrate existing and proposed landscaping based on zone district requirements.

Parking Requirements:

Specify number of off-street parking spaces based on use of the site.

Identify snow storage area on the site plan and show calculations of snow storage of 15% of parking and access.

Notes:

Show all structures, parking areas, snow storage and landscaping on site plan along with labeled dimensions. Adjacent streets and alleys should be identified. Indicated utility locations if applicable. THIS PAGE INTENTIONALLY LEFT BLANK

Dimensional Standard	R-1	R-1M	R-2	RMU	R-3
Maximum density (units/acre) ¹	3.5	6	14	16	30
Lot Size Single-Family (sq. ft.) ¹	8,000	6,250	6,250	6,250	6,250
Lot Size Duplex (per unit) (sq. ft.) ¹			3,125	3,125	3,125
Lot Size Townhouse (per unit) (sq. ft.) ³				2,250	2,250
Lot Size Multi-Family (per unit) (sq. ft.) ¹					
Single Story				3,000	3,000
Two Story				2,500	2,500
Three Story				2,000	2,000
Maximum lot coverage structures	40%	40%	40%	45%	45%
Maximum lot coverage parking/access	10%	10%	15%	20%	40%
Minimum lot coverage landscape area	50%	50%	45%	35%	15%
Minimum lot frontage ¹					
Single-Family	50'	50'	50'	50'	50'
Duplex (per unit)			25'	25'	25'
Townhouse (per unit) ³				20'	20'
Multi-Family				100'	100'
Zero-Lot Line	50'	50'	50'	50'	50'
Minimum setback front ²	15'	15'	15'	15'	15'
Minimum setback side Provided that one additional foot of setback shall be required for each two and one-half feet (a 1:2.5 ratio) of building height over 22.5 feet	10'	5'	5'	5'	5'
Minimum setback rear lot line: principal building Provided that one additional foot of setback shall be required for each two and one-half feet (a 1:2.5 ratio) of building height over 22.5 feet	10'	5'	5'	5'	5'
Minimum setback rear lot line: accessory building	10'	5'	5'	5'	5'
Maximum building height	35'	35'	35'	35'	35'
Maximum building height for detached accessory structure	30'	30'	30'	30'	30'
Minimum building width	24'	24'	20'	20'	20'
Minimum floor area Principal Dwelling (sq. ft.)	480	480	480	300 efficiency 480 multi-family	300 efficiency 480 multi-fami
Floor Area Thresholds Accessory Dwelling (sq.ft.)				720	
Minimum storage area (sq.ft.)			32	32	32
Snow storage (% of parking and access coverage)	15%	15%	15%	15%	15%
¹ Density calculations for residential development m ² Covered porches and the landings and steps of a co ³ Ordinance #3, Series 2016					

TABLE 2-5 NONRESIDENTIAL ZONE DISTRICT DIMENSIONAL STANDARDS									
STANDARD	B-1	С	CBD	I					
DENSITY									
Max. density (units/acre)	40	70	NA	14					
Lot									
Minimum lot size (sq. ft.)	3,125	4,000		3125					
Minimum lot frontage (ft.)	25	25		25					
Maximum lot coverage: (%) structures / parking and access	75	90	100	90					
Minimum landscape area (%)	25	10		10					
		BUILDING							
Maximum building height (ft.)	35 <u>up to 50</u> <u>feet (with</u> <u>standards</u> <u>§3.7 A.)</u>	50	50	50					
Minimum building width (ft.)	20								
Minimum floor area: Multi-family (sq. ft.)	480	300 efficiency 480 multi-family							
Minimum floor area: Second story residence (sq. ft.)	300	300	300	300 min 700 max					
Minimum storage area (sq. ft.) ¹	32	32	32						
	BUIL	DING SETBACKS							
Minimum from side lot line (ft.)	0 <u>5</u>	5 ²	no. req.	51					
Minimum from rear lot line (ft.) principal building	5 <u>5</u>	5 ²	no req.	5^2					
Minimum from rear lot line (ft.) accessory building	5 <u>5</u>	5 ²	N/A	N/A					
Setback from front lot line (ft.)	15 ³⁴ Max	15 ²⁴ Max (50% of frontage)	no req.4	0^{2}					
	Oth	ner Standards							
Snow Storage Area (% of parking and access coverage)	15	15	N/A	15					

¹Storage is required for multi-family dwellings) (§3.3D)

 2 Uses adjacent to residential zone districts shall comply with Zone District Buffer Standards (§4.6.3).

³ Parking not allowed within front setback area in B-1 Zone District

⁴Frontage area must be designed to engage the sidewalk / street frontage (windows, outdoor seating, etc.) in the B-1, C and CBD zone districts.

⁵Buildings with a height greater than 35 feet to a maximum of 50 feet in the B-1 zone district shall be set back a minimum of 40 feet on side and/or rear lot lines from any residential zone district property line.

Section 9. Development Standard Waivers

§9.1 GENERAL

- **A. Purpose.** This Section defines the procedures and required showing to obtain waivers from the standards established in Section 4, General Development Standards, and Section 5, Natural Resource Protection Standards. Waivers are authorizations to differ from the literal terms of established standards that would not be contrary to the public interest in cases, where the literal application from the standards are warranted by site factors, or where alternative designs are proposed that meet the purposes of this *LDC*.
- **B.** Applicability. Waivers may be granted pursuant to Table 9-1 Decision-Making for Waivers. Waivers shall not be authorized for standards that are subject to a Variance review. Where a standard is determined that is not contained in the list, the Community Development Director may make an administrative determination or at the Director's discretion forward the Waiver application to the Commission. Waivers are a discretionary act by the City and shall not be construed to be a land use right of a property owner.
- **C. Decision Making Body and Development Review.** The decision-making body for Waivers of specific standards is assigned in Table 9-1 and pursuant to the following guidelines.
 - 1. City Council Waivers. Waivers assigned for City Council consideration are related to major and minor subdivision reviews and will be considered as part of the subdivision review process. Waivers from subdivision-related standards must be submitted at the time of Preliminary Plan application pursuant to §9.3. Waivers for subdivision-related standards are subject to Final Plat approval.
 - 2. Planning and Zoning Commission Waivers. Waivers that are determined administratively by staff are related to Site Development Applications. Waivers determined by the Commission and/or recommended to City Council by the Commission, are acted upon as a public hearing agenda item at a scheduled meeting. The administrative review follows all of the procedures set forth in §9.3 with the exception of item D, Public Notice. Waivers may be approved in conjunction with processing site development applications, land use development applications, including subdivision applications, as defined in §6.2.A of this *LDC* (Ordinance #3, Series 2015)(Ordinance #3, Series 2016).

§9.2 APPLICATION CONTENTS

Formal requests for Waiver from the standards, policies or submittal requirements of these criteria shall be submitted with appropriate documentation. In addition to the minimum contents for all applications specified in §6.5 C, Minimum Application Contents, the application shall contain:

- **A.** a site plan of the subject property, showing existing and proposed features, buildings, etc., which are relevant to the review of the waiver application;
- **B.** citation of the specific section and subsection containing the standards for which the waiver is being requested, including the specific language of the related standard;
- **C.** citation of the reasons, site conditions or issues with the required standard and how an alternative design meets the purposes of the *LDC*; and,

- **D.** definition of alternative(s) being proposed for the waiver, if applicable, and any supporting documentation, including mapping, technical literature, necessary calculations, engineering or site plan design data that graphically or analytically depict the alternative standards to be applied, and provides justification for the Waiver request; and
- **E.** any other pertinent information that the Community Development Director determines is necessary to enable the decision-making body to make an informed decision on the waiver request.

§9.3 PROCEDURES AND PROCESS

- **A. Development Review**. An applicant requesting a waiver shall follow the stages of the City of Gunnison land development process as described in §6.3.
- **B.** Submit Application. The applicant shall submit a complete application to the Community Development Director containing those materials listed in §6.5 C, Minimum Application Contents, and in §9.2.
- **C. Staff Review.** The Community Development Director shall review the application to determine whether it is complete, as specified in §6.6 A., Completeness Review. The Community Development Director shall forward a report which summarizes the application's compliance with the conditions outlined in §9.4 to the decision-making authority. The Community Development Director may solicit the assistance of other agencies and organizations in drafting the report.
- **D.** Public Notice. Any waiver request that comes before the City Council and/or Commission shall require public notice for a hearing to consider the application for a waiver as specified in §6.7, Stage 4: Provision of Public Notice.
- **E.** Action by Decision-Making Authority. The Commission or other decision-making authority may approve, approve with conditions, deny the application or remand it to the applicant with instructions for modification or additional information or action.
- **F.** Actions Following Approval. The applicant may apply for a development permit following approval of the waiver and the filing and, if applicable, recordation of any documents required by the waiver approval.

§9.4 REVIEW CRITERIA

All waiver application approvals shall be found to be in compliance with the following General Criteria (A) and the criteria established for the relevant code sections applicable to the waiver request (B through N, below).

A. General Criteria

- 1. consistent with the *City of Gunnison Comprehensive Plan*;
- 2. approval of the waiver will not jeopardize the community's health safety and welfare;
- **3.** there are special circumstances or conditions which are peculiar to the land or building for which the Waiver is sought that is more suitable, functional, or is a better site design;
- **4.** no Waiver shall result in a detriment to City services in terms of service function, general maintenance restrictions, and increased City costs for service and maintenance;

- **5.** the developer is responsible for all development costs unless shared costs are determined by City Council;
- **6.** no Waiver shall be approved that is in conflict with any prevailing State or Federal law or regulation;
- 7. the granting of the Waiver will not be injurious to the neighborhood surrounding the land where the waiver is proposed, and is otherwise not detrimental to the public welfare or the environment;
- 8. no Waiver will negatively affect the promulgation of any other development standard of this *LDC*.

B. Adequate Public Facilities (§4.1)

- 1. The design, materials, and construction methods are equal or superior to existing standards.
- **2.** The long term City maintenance restrictions or costs, and the facility design-life will not be diminished by approval of the Waiver.
- 3. The level of service provided by the Waiver is consistent with existing standards.

C. Road Construction Standards (§4.2)

- 1. The design, materials, and construction methods are equal or superior to existing standards.
- 2. Long term City maintenance restrictions, maintenance costs, and the utility/facility design-life will not be diminished by approval of the Waiver.
- **3.** The level of service provided by the Waiver is consistent with existing standards.
- **4.** Adequate rights-of-way and easements are established for the installation and maintenance of public utilities and services.
- 5. Transportation system functions will be efficient and safe.
- 6. The resulting streetscape will provide adequate light, air and area for landscaping and buffers.
- 7. The development of non-motorized circulation facilities will not be diminished by approval of the Waiver.

D. General Site Access (§4.3)

- 1. Waivers from general site access standards shall not create an unsafe design for the ingress or egress of vehicles and non-motorized transportation functions.
- 2. Long-term City maintenance restrictions, maintenance costs, and the utility/facility design-life will not be diminished by approval of the Waiver.
- 3. Waivers for properties fronting highways will not be granted if a State Highway Access Permit is

required, unless they are in conjunction with a CDOT permit approval.

- 4. Waivers shall not be approved if the result requires vehicles to back onto streets.
- 5. Waivers will not diminish the function of sidewalks, accessways or multi-use trails.
- 6. Waivers will not result in a situation that precludes access to an adjacent property.

E. Off-Street Parking and Loading (§4.4)

- 1. Any Waiver requesting a reduction of the number of parking spaces shall be based on established demand factors from the Institute of Traffic Engineers or reliable data collected from uses or combination of uses that are comparable with the proposed development.
- 2. Waivers shall not be approved that reduce the minimum requirements for disabled accessibility.
- **3.** Waivers that affect the location of parking and reduce the required buffer width shall only be allowed if an alternative landscape design provides adequate buffering, or the use of the property is significantly diminished without a Waiver.
- 4. Waivers will not diminish the function of sidewalks, accessways or multi-use trails.

F. Pedestrian Circulation Facilities (§4.5)

- 1. The Waiver is needed because the physical characteristics of the property or other circumstances including but not limited to topography, protecting wetlands and/or critical habitat.
- 2. Alternative design, specifications and layout provide safe, efficient and functional pedestrian circulation.
- **3.** The Waiver does not preclude the extension of major sidewalk systems and multi-use trails designed in the *City of Gunnison Non-Motorized Transportation Plan*.
- 4. The Waiver is not contrary to requirements established by the Americans with Disabilities Act.

G. Landscaping, Buffer and Screening (§4.6)

- 1. Alternative design, specifications and layout are set forth in a detailed landscape plan that satisfies the purpose and intent of the landscape, buffering and screening standards.
- 2. Reductions from the required buffer setbacks shall only be allowed if an alternative landscape design provides adequate buffering, or the use of the property is significantly diminished without a waiver due to rights-of-way width, road section constraints or lot dimensions.
- **3.** Waivers from buffer dimensional standards that protect residential property from non-residential property are not permitted unless it is found that the denial of the Waiver would render the property undevelopable.
- 4. The Waiver is necessary for the placement of public utilities, public ditches, or stormwater

facilities, and in which case an alternative buffer/landscape plan is proposed that fulfills the requirements to the maximum extent feasible.

- 5. Waiver from plant species types do not permit or create situations causing the proliferation of noxious weeds.
- 6. Waivers that preclude required site restoration or revegetation of disturbed areas shall not be granted.
- 7. Waivers from fences and walls shall not interfere with street or driveway site distance requirements required by the *LDC*.
- 8. Fence and wall Waivers shall not result in the use of plywood or sheet metal.
- **9.** Waivers from service area screening shall not create a visual detriment to adjacent residential uses or from view of any public street.

H. Outdoor Storage and Display (§4.7)

- 1. Waivers shall not impede ingress, egress or access for fire and emergency response personnel.
- 2. Waivers shall not impede access and circulation or reduce the required number of parking spaces.
- 3. Outdoor displays on the required landscape areas shall not result in the damage of vegetation.
- 4. Waivers shall not interfere with intersection site distance requirements established in the *LDC*.
- 5. Waivers shall not permit the display or storage of any feature in the public rights-of-way.
- 6. Waiver of outdoor storage and display within the front yard setback shall not permit the display or storage of any feature exceeding 15 feet in height.

I. Outdoor Lighting (§4.9)

- **1.** Waivers shall not be granted if it will result in an illumination that interferes with the use or enjoyment of any lot in a residential zone district.
- **2.** The maximum light trespass shall be 0.5 foot-candles of light at a point 25 feet from the property line of any residential zone district.
- **3.** Unique security or public safety may warrant approval of a Waiver, but mitigating impact to any adjacent residential lots must be provided.

J. Large Scale Retail (§4.10)

- 1. Any Waiver associated with a single building site development plan shall meet the intent statements found in \$4.10C of the *LDC*.
- **2.** Any Waiver associated with multiple building site development plan shall meet the intent statement found in §4.10 E of the *LDC*.

- **3.** Any Waiver associated with building design shall meet the intent statement found in §4.10 J of the *LDC*.
- 4. All Waiver requests shall comply with §14.6 Design Review Standard Objectives.
- 5. Waivers will be considered based on compliance with the following criteria:
 - **a.** Boundaries, Easement, or Title Constraints. If an easement or a legal or physical hardship would prevent the building of a structure pursuant to site development standards, a Waiver may be approved; provided, that the approved Waiver is the minimum necessary to accommodate the hardship.
 - **b.** Public Outdoor Space Development. In order to form an outdoor space such as a plaza, courtyard, patio, or garden between a building and the sidewalk, a Waiver may be approved; provided, that the street yard area shall have landscaping, low walls, a tree canopy or other similar site improvements along the sidewalk designed for pedestrian interest, comfort, and visual continuity.
 - **c.** Number and Design of Parking Spaces. A Waiver of the required number and/or design of parking spaces may be approved; provided, that the need for existing and future parking is addressed; and the configuration provides for the safety of pedestrians and vehicles.
 - **d.** Orientation. A Waiver may be approved where it is shown that the change in orientation will not adversely affect the overall appearance of the development.
 - e. Water, Air Quality, and Energy Conservation. A Waiver may be approved where it is shown that water, air quality, and/or energy conservation will be enhanced. However, a water conservation Waiver shall not be used to limit or eliminate vegetation cover.
 - **f.** Vehicular Transportation and Circulation. A Waiver may be approved where it is consistent with the approved transportation impact study.
 - **g.** Landscaping, Screening, and Buffering. A Waiver may be approved where the change from design review standards will mitigate adverse impacts to adjoining uses.
 - **h.** Building Design Standards. A Waiver may be approved for §4.10 J.2, Ground Floor Façades; §4.10 J.3, Articulation, and §4.10 M., Materials and Colors. The request must include a description of the alternative elements that will be used to break up larger building mass and emphasize pedestrian scale, show an obvious contrast in building wall planes and justify the preference for alternative materials and colors.

K. Stormwater Management (§5.1)

- **1.** There is adequate area for construction and long-term maintenance of stormwater management facilities.
- **2.** The Waiver results in a system of facilities that adequately reduce runoff volumes, slows runoff velocity and provides water quality treatment meeting State and Federal water quality standards.

- 3. The Waiver will not jeopardize channel stabilization.
- **4.** The Waiver does not violate State or Federal laws.
- 5. The Waiver is the minimum necessary and does not jeopardize the community's health, safety or welfare.

L. Slope Protection Standards (§5.2)

1. The development conforms to the other development, site design and environmental standards set forth in the *LDC*.

M. Grading and Erosion Control (§5.3)

- 1. Waivers that increase the limit of natural grade change shall not create unstable slopes or slopes prone to excessive erosion.
- 2. Waivers that increase the limit of natural grade change shall only occur if it is determined that adequate emergency access is provided.
- **3.** Waivers that increase the limit of natural grade change shall not be in conflict with slope protection standards unless application of grading standards renders the site undevelopable.
- 4. Wavier from erosion control standards shall only be allowed if alternative construction best management practices are proposed that mitigate erosion and stormwater runoff impacts to the maximum extent feasible.
- 5. Waivers from the Limits of Disturbance shall include a program for the complete restoration of the disturbed area in a timely manner.

N. Wetland and Stream Corridor Protection (§5.4)

- 1. Waivers from wetland and stream corridor protection standards shall not be in conflict with wetland protection regulations promulgated by the Army Corps of Engineers and Floodplain Protections Standards adopted by the City.
- 2. Waivers from ditch setbacks are subject to written approval of all ditch owners.
- **3.** Waivers from buffer and setback areas shall only be approved if it is determined that application of a buffer/setback standard renders the site undevelopable.

§9.5 DECISION-MAKING AUTHORITY

The decision-making authority has no obligation to approve a Waiver, and may impose restrictions and conditions on approvals, as determined required to prevent or minimize adverse effects from the proposed Waivers on neighboring land and on the general health, safety and welfare of the City. All conditions shall be set forth in the granting of such waiver. A written copy of all administrative waivers will be forwarded to the Commission and City Council.

§9.6 EXPIRATION OF APPROVED WAIVER

- **A. Time Limit**. All Waivers shall expire 12 months from the date of issuance if no site development permit has been issued. If the Waiver does not require a development permit, site improvements associated with the Waiver shall be complete and in operation within the allotted time. Such time period shall not be altered by transfer of ownership.
- **B.** Notification. Written notice of expiration will be given to the owner of record no less than 30 days from the expiration date.
- **C.** Extension. Upon written request, the decision-making body may grant an extension of the Waiver for a period not to exceed six months given reasonable justification. No request for an extension shall be considered unless a written application requesting the extension is submitted to the Community Development Director prior to the date the Waiver is to expire. The Waiver shall be deemed extended until the decision-making authority has acted upon the request for extension. Failure to submit an application for an extension within the time limits established by this Section shall render the Waiver null and void.

§9.7 APPEALS

- **A.** Waivers that are determined administratively by the Community Development Director or staff may be appealed by the applicant to the Commission.
- **B.** The appeal shall be in the form of a written letter of appeal submitted to the Community Development Director within 30 days of the date the waiver decision was made. The Commission may affirm, modify, reverse or remand the application with specific directions.
- **C.** The Planning and Zoning Commission decisions are final with no appeal.

TABLE 9-1 DECISION-MAKING FOR WAIVERS							
CODE SECTION	NO WAIVER Allowed	CD DIRECTOR	P&Z	CC	OTHER / COMMENTS		
§4.1 Adequate Public Facilities							
§4.1 C.1. Approval Conditioned Upon	7						
Adequate Public Facilities	v						
§4.1D Sewage Disposal							
§4.1 D.1 Level of Service			rec				
§4.1 D.2 Criteria for New Development							
§4.1 D.3 Minimum Approval Requirements							
§4.1 E. Water							
§4.1 E.1 Level of Service			rec				
§4.1 E.2 Minimum Approval Requirements							
§4.1 F. Drainage/Water Quality Management							
§4.1 F.1 Level of Service			rec				
§4.1 F.2 Minimum Approval Requirements							
§4.1 G Fire Protection							
§4.1 G.1 Level of Service							
§4.1 G.3 Minimum Approval Requirements							

§9.8 DECISION-MAKING FOR WAIVERS

TABLE 9-1 D	ECISION-MAKING	FOR WAIVERS			
CODE SECTION	NO WAIVER Allowed	CD DIRECTOR	P&Z	СС	OTHER / COMMENTS
§4.1 H. Transportation					
§4.1 H.1.a Level of Service-General Standard			rec		
§4.1 H.1.b Level of Service-Waiver			rec		
§4.1 H.1.c. Access to Development in all Zone			*00	\checkmark	
districts			rec	v	
§4.1 H.3.a–e Traffic Impact Analysis Contents					
§4.1 H.4. Minimum Approval Requirements					
§4.1 H.5. Pedestrian Circulation					
§4.1 H.5.a. Level of Service					
§4.1 H.5.b. Criteria for New Development or			rec	\checkmark	
Redevelopment			Itt	v	
§4.1 H.5.c. Minimum Approval Requirements			rec		
§4.1 I. Electricity					
§4.1 I.2. Criteria for New Development			rec		
§4.1 I.3. Minimum Approval Requirements					
§4.1 J. Irrigation System					
§4.1 J.2. Criteria for New Development			rec	V	may only be granted if the extension of the irrigation is impractical
§4.1 J.3. Minimum Approval Requirements			rec	\checkmark	
§4.2 Road Construction Standards					
§4.2A. General Road Construction Standards					
§4.2 A.4. Other Standards of Construction			rec	N	
§4.2 A.5. Construction Approval			rec		
§4.2 A.6. Typical Cross-Sections			rec	V	
§4.2 A.8 Street Designations			rec		
§4.2 A.9. Repairs and Restoration					PW Director
§4.2 B. Streets					
§4.2 B.1.Street Construction and Design			rec	\checkmark	
Specifications.					
§4.2 B.2. Sub-local Streets			rec	V	
§4.2 B.3. Street Sections and Rights-of-Way Width			rec	\checkmark	
§4.2 B.4. Shoulders					PW Director
§4.2 B.5. Bike Lanes			rec		I W Director
\$4.2 B.6. Street Sub-Grade and Asphalt			100	,	
Standards					PW Director
§4.2 B.8. Private Streets			rec		
§4.2 C. Cul-de-Sacs and Dead-End Streets			100	•	
§4.2 C.1. Where Allowed			rec	V	Only where terrain or site constraints preclude connectivity
§4.2 C.2. Length			rec		
§4.2 C.3. Number of Vehicle Trips per Day			rec	v V	
§4.2 D. Street Intersections			rec		

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER ALLOWED	CD DIRECTOR	P&Z	СС	OTHER / COMMENTS	
§4.2 D.2. Sight Distance			rec			
§4.2 D.3. Intersection Grade Standards			rec			
§4.2 E. Vertical Alignment						
§4.2 E.2. Street Grades			rec			
§4.2 E.3. Street Grade Changes			rec			
§4.2 F. Horizontal Alignment						
§4.2 F.1. Street Horizontal Alignment			rec			
§4.2 F.2. Minimum radii of curvature			rec			
§4.2 F.3. Clear visibility measure			rec			
§4.2 F.4. Reverse curve tangent			rec			
§4.2 G. Cross Slope			rec			
§4.2 H. Curb and Gutter			rec	v V		
§4.2 I. Street Dedication						
§4.2 I.1. Dead-end streets			rec			
§4.2 I.2. Street construction and right-of-way			100			
connections			rec			
§4.2 I.3. Rights-of-way abutting						
unincorporated property			rec			
§4.2 J. Acceptance of Public Dedicated Streets						
and Other Public Utilities						
§4.2 J.1. Acceptance Timing and Season					PW Director	
§4.2 K. Partial-Width Street			rec			
§4.2 L. Additional Rights-of-Way			100	¥.		
§4.2 M. Street Paving and Signs	v		rec			
§4.2 N. Roadside Delineators			Itt	v	PW Director	
§4.2 O. Erosion Control			roo		r w Dilector	
§4.2 P. Clustered Mail Box			rec	V		
§4.3 General Site Access		V				
§4.3 A. Access to Public Roads						
§4.3 B. Driveway Access - General Standards	V					
§4.3 B.1.a. Limits on Curb Cuts		2			PW Director	
0		N N			P w Director	
§4.3 B.1.b. On State Highways		N				
§4.3 B.1.c Arterial Streets			<u>۷</u>			
§4.3 C. Backing Prohibited			√			
§4.3 D. Shared Driveways						
§4.3 D.2. May be on Property Line	N					
§4.3 D.3. Maintenance Agreement Required	N					
§4.3 D.4. Multi-family Access Threshold	N	1				
§4.3 E. Corner Lots		N				
§4.3 F Property Lines						
§4.3 G Driveway Alignments						
§4.3 H Driveway Opening Requirements						
§4.3 I Driveway Spacing						
§4.3 I.1. Arterial Streets						
§4.3 I.2. Collector Streets						
§4.3 I.3. Local and Sub-Local Streets						
§4.3 I.3.a. Residential Drive Spacing						
§4.3 J. Driveway Design Standards						
§4.3 J.1 Surface Material Standards						
§4.3 J.1.a. For 5+ parking spaces						
§4.3 J.1.b. For 20+ parking spaces						
	•				·	

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /	
§4.3 J.1.c. Apron length where garage is used	ALLOWED	DIRECTOR			COMMENTS	
as parking						
§4.3 J.2 Geometric Design Standards						
§4.3 J.2.a. Residential driveways maximum 8%						
grade						
§4.3 J.2.b. Nonresidential driveways						
maximum 6% grade						
§4.3 J.2.c. Grades for driveways within 20 feet of intersection						
§4.3 J.2.d. Follow natural contours						
§4.3 J.2.e. Stacking space for nonresidential						
driveways			v			
§4.3 J.3. Other Driveway Construction						
Standards		v				
§4.3 J.3.a. Driveway within property line and	\checkmark					
street	N					
§4.3 J.3.b. Angle at Intersection						
§4.3 J.3.c.Driveway grading and drainage						
§4.3 J.3.d. Drainage in the R-O-W						
§4.3 J.3.e. When paving is required	\checkmark					
§4.3 J.3.f. When concrete pan is required	\checkmark					
§4.3 J.3.g. Single-family drive sidewalk depth						
§4.3 J.3.h. Multi-family or commercial drive		1				
sidewalk depth						
§4.3 J.3.i. Access for driveways serving 8+	V					
§4.3 J.3.j. Culvert length under driveway						
§4.3 J.3.k. Replacement Standards for	1					
sidewalks						
§4.3 J.3.1. Replacement standards for curb and	1					
gutter						
§4.3 J.3.m. Standards for new construction	1					
abutting existing sidewalks and asphalt	\checkmark					
§4.3 J.3.n. Standards for gated access						
§4.3 J.4. Intersection and Driveway Visibility	,					
§4.3 J.4.a. Intersection	\checkmark	, ,				
§4.3 J.4.b. Driveway Sight Visibility	N N					
§4.3 J.4.c. Visibility for driveways serving 20+	v					
parking spaces	\checkmark					
§4.4 Off-street Parking and Loading					l 	
§4.4 B. Applicability						
§4.4 B.1. No CO until requirements met						
§4.4 B.2. Requirements for modified off-street	\checkmark					
parking and loading facilities						
§4.4 B.3. Site plan required for development	\checkmark					
with 4+ spaces						
§4.4 B.4. Grandfather clause for parking and	.1					
loading if no increase in floor area or change of						
use.						
§4.4 B.5. Parking requirements for projects	\checkmark					
with increased floor area or change of use						

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /	
§4.4 B.6. Requirements for residential/bed and	ALLOWED	DIRECTOR			COMMENTS	
breakfast approved through Conditional Use in	\checkmark					
CBD.	v					
§4.4 C. Parking Calculation Provisions						
§4.4 C.1. For Developments Containing More					ZBAA or CD	
than One Use. Developments containing more					Director if	
than one use shall provide parking spaces in an					20% reduction	
amount equal to the total of the requirements					is OK	
for all uses.						
					ZBAA or CD	
§4.4 D. Minimum Off-Street Parking					Director if	
94.4 D. Willindin On-Street Farking		v			20% reduction	
					is OK	
§4.4 D.1.a Disabled Access Parking	V					
§4.4 D.1.b ADA Parking Signage						
§4.4 D.2. Minimum Requirement and Shared						
Use						
§4.4 D.2.a. Minimum Parking per Table 4-7.						
Additional parking may be provided						
§4.4 D.4. Parking Stall and Aisle Dimensions.						
§4.4 E. Location						
§4.4 E.1. Off-street parking on same parcel as						
principal use			,			
§4.4 E.2. Setbacks in non-residential zone						
districts						
§4.4 F. Driveway Access for off-street parking						
§4.4 F.1. Dimensions						
§4.4 F.1.a. 6% maximum grade		ν				
§4.4 F.1.b. Parking spaces using non-		.1				
conforming standards must be developed by a						
licensed engineer. §4.4 F.2. Surfacing	V					
§4.4 F.2. Surfacing §4.4 F.3. Curbs and Wheel Stops	N					
§4.4 F.3.a. 6" curb to protect landscaping		v √				
		v				
§4.4 F. 3.b. No landscaping >12" within 2' of		\checkmark				
curb §4.4 F.4. Separation from Walkways and						
Streets						
§4.4 F.7. Backing Prohibited						
§4.4 F.8. Tandem Parking			v			
§4.4 F.9.a Snow Storage Area						
§4.4 F.9.b Storage in Parking Spaces		√ √				
Prohibited		, v				
§4.4 F.9.d Drainage						
§4.4 F.10 Bicycle Racks						
§4.4 G.1. Prohibited Uses of Required Spaces	\checkmark					
§4.4 H. Space for Customer Drop-Off of	V					
Shopping Carts						
§4.4 I. Off-site and Shared Parking Standards						
§4.4 I.1. On-Street Parking						
5 i.i. On Succer and ing		*		L		

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /	
	ALLOWED	DIRECTOR	TWE		COMMENTS	
§4.4 I.2. Off-Site Parking		N				
§4.4 I.2.a. Ineligible Activities	N					
§4.4 I.2.b. Location	V					
§4.4 I.2.c. Zoning Classification	N					
§4.4 I.2.d. Agreement	√	-				
§4.4 I.3. Shared Parking		N				
§4.4 J. Vehicle Stacking Requirements						
§4.4 J.1. Minimum Number of Spaces		N				
§4.4 J.2. Design and Layout			ν			
§4.4 K. Off-Street Loading Requirements						
§4.4 K.1.a. Loading Dock Dimensions			<u>م</u>			
§4.4 K.2. Location and Layout						
§4.4 K.2.a Must be on-site						
§4.4 K.2.b. Not in required setback						
§4.4 K.2.c. Not in parking aisle or access						
dimension		N				
§4.4 K.2.d. Screening required						
§4.4 K.2.e. Accessible without backing across						
street	N					
§4.4 K.2.f. Shall not obstruct access to parking,	\checkmark					
sidewalks, roads, or fire lanes	N					
§4.5 Pedestrian Circulation Facilities						
§4.5 A. Applicability						
§4.5 A.1. For new development			rec			
§4.5 B. Types of Pedestrian Circulation						
Facilities						
§4.5 B.1. Sidewalks						
§4.5 B.2. Accessways						
§4.5 B.3. Multi-Use Trails						
§4.5 C. Pedestrian Linkage Requirements						
§4.5 C.1. Linkage Plan Required			rec			
§4.5 C.2. Subdivisions must have pedestrian			rec			
facilities				v		
§4.5 C.3. Sidewalk requirements on arterial	\checkmark					
and collector streets	v					
§4.5 D. Pedestrian Circulation Amenities						
§4.5 D.1. Durable surface materials						
§4.5 D.2. 4' wide sidewalks in R-1, R-1M, and						
R-2						
§4.5 D.3. Sidewalk Placement						
§4.5 D.3.a. Attached Facilities						
§4.5 D.3.b. Detached 6' Minimum						
§4.5 E. Design and Construction Standards						
§4.5 E.1. Sidewalks and trails in R-O-W			rec			
§4.5 E.2. Design elements in accord with					DIVID	
Construction Standards					PW Director	
§4.5 E.3. Pedestrian facilities in accordance	. 1					
with ADA	\checkmark					
§4.5 E.4. Detached pedestrian facilities						

TABLE 9-1 D	ECISION-MAKING	FOR WAIVERS			
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /
	ALLOWED	DIRECTOR	1 & 2	cc	COMMENTS
§4.5 E.6. Owners required to landscape R-O-W	\checkmark				
between curb and sidewalk		,			
§4.5 E.7. Transition sections					
§4.5 E.8. Minimum 2' clearance around					
obstructions required for sidewalks		,			
§4.5 E.9. Pedestrian facilities constructed					
concurrently with street		,			
§4.5 F. Multi-Use Trails Design Standards					PW Director
§4.5 F.1. Subdivisions required to dedicate and			rec		
install trails			ice	v	
§4.5 F.2. 15' dedicated easement required if					either
development is on a trail alignment		v		v	enner
§4.6 Landscaping, Buffering and Screening					
§4.6 B. Applicability					
§4.6 C. Approval of Landscaping and Buffering Plan					
§4.6 C.1. Approved landscaping plan required					
for final development approval		v			
§4.6 C.2. Alternative specifications for					
landscaping require approval		v			
§4.6 C.3. Landscaping required for CO					
§4.6 C.3.b. Delayed landscaping requires					
improvement agreement		v			
§4.6 D. Landscaping Design Standards and					
Guidelines					
§4.6 D.1. Aesthetic Enhancement Guidelines					
§4.6 D.2.a. Use of Native or Adaptive Plant					
Materials		v			
§4.6 D.2.b. Existing Plant Materials					
§4.6 D. 2.b.iii. Root Zones					
§4.6 D.2. d Plant Sizes					
§4.6 D.3. Location and Arrangement of		2			
Required Landscaping		N			
§4.6 D.3.a. Reasons for landscaping					
§4.6 D.3.b. Must be located on the property					
they serve			N		
§4.6 D.3.c. Not in the R-O-W unless associated					
with street buffer		N			
§4.6 D.3.d. Place trees where pruning won't be					
required					
§4.6 D.3.e. Trees at least 7' from structures and					
with 55 square ft. non-paved area around trunk					
§4.6 D.3.f No trees within 5' of water or sewer	1				
main lines	\checkmark				
§4.6 D.3.g Planting near utility lines					
\$4.6 D.3.h Planting near fire hydrants	V V				
§4.6 D.3.i No trees within 25' of intersections	,				
or 10' from fire hydrants and utility poles					
§4.6 D.4. Restoration and Revegetation of Disturbed Areas					
DISIULUCU AICAS				1	

CODECECTION	ECISION-MAKINO	CD	D 9 7	00	OTHER /
CODE SECTION	ALLOWED	DIRECTOR	P&Z	CC	COMMENTS
§4.6 D.5 Irrigation					
§4.6 E. Landscaping Requirements for all Zone					Variance
Districts ¹					v arranee
§4.6 E.1. Minimum Tree and Shrub Plantings					Variance
§4.6 E.2 Living Plant Material requirement					
§4.6 E.3 Types of Material in Industrial zone					
district		· ·			
§4.6 F. Buffering and Screening					
§4.6 F.2 Waivers			\checkmark		
§4.6 F.3 Zone District Boundaries					
§4.6 F.3.a. Landscaped buffer required			,		
between zone districts.					
§4.6 F.3.b. 20' wide buffer required					
\$4.6 F.3.c. Number of trees and shrubs per 100			I		
linear feet, between zone districts					
§4.6 F.4.Street Frontage Buffers					
č					
Planting Requirements (see					
Figure 16)					
§4.6 F.4.d Buffer Width					
§4.6 F.4.e. Collector Street Frontage Buffers					
§4.6 F. 4.e.i 25' along street frontage					
§4.6 F. 4.e.ii Number of trees and shrubs per					
lineal foot			N		
§4.6 F.4.f. Number of trees and shrubs per			.1		
lineal foot on Local Street frontage					
§4.6 F.4.g. No Development in Street Frontage			1		
Buffer					
§4.6 F.8.Responsibility for Buffering					
§4.6 G. Parking Lot Landscaping					
§4.6 G.2.a.Perimeter Landscaping					
Applicability					
§4.6 G.2.b. General Requirements					
§4.6 G.2.d. Walls/Fences					
§4.6 G.2.e. Perimeter Planting Requirements					
§4.6 G.3.a Parking Lot Interiors / Applicability					
§4.6 G.3.b. Minimum Requirement					
§4.6 G.3.c. Landscaped Islands					
§4.6 H. Fences and Walls					
§4.6 H.1. Materials for fences or walls					
§4.6 H.1.1 Materials					
§4.6 H.2. Fencing finished on all sides in non-					
residential except Industrial		v			
§4.6 H.3.a. Prohibited materials	√				
§4.6 H.3.b. Chain link					
¹ Ordinance #3, Series 2016					
§4.6 H.3.c. Barbed wire					
§4.6 H.4.a.i. Less than 4' in height in					
residential front yards	\checkmark				

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER Allowed	CD DIRECTOR	P&Z	СС	OTHER / COMMENTS	
§4.6 H.4.a.ii. Fences or walls $\geq 6'$ require	\checkmark					
permit	•					
§4.6 H.4.a.iii. Setbacks for fences and walls \geq 8'	\checkmark					
§4.6 H.4.b. Compliance with driveway	\checkmark					
visibility	N					
§4.6 H.4.c. Offset for fences and walls adjacent to alleys	\checkmark					
§4.6 H.4.d. License Agreement required						
§4.6 H.4.e. Maximum uninterrupted plane of	\checkmark					
100'	v					
§4.6 H.4.f. Plantings in conjunction with fences	\checkmark					
and walls	v					
§4.6 I Screening						
§4.6 I.1. Drive Thru Facilities	V					
§4.6 I.1.a. Parking Lot Separation	V					
§4.6 I.1.b Adjacent to residential zone district	<u>ا</u>					
§4.6 I.2. Service Areas		1				
§4.6 I.2.a Location and screening		N				
§4.6 I.2.b Limited to area on approved site plan	V					
\$4.6 I.3. Loading Areas \$4.6 I.3.a. 100% screening from residential						
properties and public rights-of-way		\checkmark				
§4.6 I.3.b. Screening material						
§4.6 I.3.c. Location of Type B loading docks		v				
§4.6 I.4. Mechanical Equipment			v			
§4.6 I.4.a. Screening						
§4.6 I.4.b Roof-Mounted Screening Material		Ń				
§4.6 I.4.c Ground-Mounted Screening Material						
§4.6 I.5. Utilities					not applicable to accessways	
§4.6 I.6. Trash Receptacles						
§4.6 J. Maintenance Requirements						
§4.6 J.1. Maintenance Required						
§4.6 J.2. Maintenance of Landscape Structures						
§4.6 J.3. Replacement						
§4.6 J.4. Enforcement						
§4.7 Outdoor Display and Storage						
§4.7 B. Outdoor Display						
§4.7 B.3. Obstruction Prohibited.						
§4.7 B.4. Maintenance						
§4.7.C. Outdoor Storage						
§4.7 C.2. Area	\checkmark					
§4.7 C.3. Screening						
§4.7 C.4. Setbacks						
§4.7 C.4. a. Outdoor storage >8'						
§4.7 C.4. b. Intersection and Driveway Visibility						
§4.7 C.4.c. Rear Yards						
-						

TABLE 9-1 DECISION-MAKING FOR WAIVERS							
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /		
	ALLOWED	DIRECTOR			COMMENTS		
§4.7 C.4.d. Side Yards§4.8 Signs – Sign Standards are omitted	N						
from this review							
§4.9 Outdoor Lighting							
§4.9 Applicability							
§4.9 B.1. Existing no increase in floor area							
§4.9 B.2. Existing with increase in floor area							
§4.9 C. Exemption					Not Applicable		
§4.9 D. Prohibited Light Sources							
§4.9 E. Design Requirements			1				
§4.9 E.1 Fixture (Luminaire)			√				
§4.9 E.2 Fixture Height							
§4.9 E.3 Mounting		, ,					
§4.9 E.4 Limit Lighting to Periods of Activity		N					
§4.9 F. Specific Standards							
§4.9 F.1 Street Lighting			.1	N			
§4.9 F.2 Security Lighting					NT + 4 + 11 + 1 + 1 + 1		
§4.9 F.3 Accent Lighting					Not Applicable		
§4.9 F.4 Canopy Area Lighting§4.9 F.5 Entrances Exits in Nonresidential and		N					
S4.9 F.3 Entrances Exits in Nonresidential and Multi-Family Development		v					
§4.9 F.6 Off-street Parking Area Lighting							
§4.9 G. Excessive Illumination		v					
§4.10 Large Scale Retail			Y				
§4.10 B. Applicability							
§4.10 D. Single Building Site Development							
Standards §4.10 D.1. General			2				
§4.10 D.2. Orientation			$\frac{1}{\sqrt{2}}$				
§4.10 D.2. Orientation §4.10 D.3. Front Parking							
§4.10 F. Multiple Building Site Development			V				
Standards			v				
§4.10 F.1 Location Standards							
§4.10 F.2 Orientation			V				
§4.10 F.3 Front Parking			V				
§4.10 F.4 Phasing			V				
§4.10 G. Vehicular Circulation							
§4.10 G.1. Transportation Impact Study							
Requirements	<u> </u>						
§4.10 G.2 Access to Collector Streets							
§4.10 G.3 Internal Drive Connectivity							
§4.10 G.4 Passenger Loading Zones							
§4.10 G.5 Traffic Control							
§4.10 G.6 Speed Change Lanes							
§4.10 G.7 Restricted Turning Movements							
§4.10 H. Pedestrian Circulation Facilities					See §4.5		
§4.10 I. Residential Protection							

TABLE 9-1 DECISION-MAKING FOR WAIVERS								
CODE							OTHER /	
			ALLOWED	DIRECTOR	ræz	<u> </u>	COMMENTS	
	1 Building Location				√			
	2 Buffering and Landscaping							
-	. Building Design Standards							
§4.10 J.	.2 Ground Floor Façades							
§4.10 J.	. 2.a. Abutting public streets or parki	ing						
lots					v			
§4.10 J.	.2.b Liner and Pad Site Buildings							
§4.10 J.	.3.Articulation							
§4.10 J.	.3.a. Exterior Wall Plane				\checkmark			
§4.10 J.	.3.b. Primary Façades.							
§4.10 J.	.3.c. Secondary Façades							
	. Architectural Elements							
-	. Building Entrances							
	<i>A</i> . Materials and Colors							
	<i>I</i> .1. Exterior building materials							
	1.2 Façade colors							
	1.4 Wall surface material							
	<i>I.4 Wall surface material</i> <i>I.6 Neon as an architectural accent</i>							
prohibit								
1	I.8. Roofs							
0					1			
	A. 8.a. Parapets				√			
	A. 8.b. Overhanging eaves							
	I. 8.c. Sloping Roofs				√			
	A. 8.d. Three or more roof slope plan	les			√			
§4.10 N	Abandoned Buildings							
e = 1 NT								
82 . 1 Na	atural Resource Protection Standa	rds						
851 B	Stormwater Design and Construction	n						
Standar	Stormwater Design and Constructio	m						
		_			-			
	1. City Stormwater Manual				rec			
	rated by reference		See City of					
-	2. Design and construction in		See City of					
accorda	nce with Stormwater Manual		Gunnison					
			Stormwater					
			Management					
			Manual Table					
8-1 below:								
TABLE 8-1 DRAINAGE REPORT SUBMITTAL REQUIREMENTS								
	Submittal Type	Drainage Submittal Requirements		Rev				
	Map Amendment	Determined by the City Engineer		P&Z and City Council		,il		
	Planned Development PUD-O or PUD-M	Phase II Drainage Report		P&Z and City Council		311		
	Site Development Application	Determined by City Engineer		Staff				
	Conditional Use	Determined by City Engineer			P&Z			
	Preliminary Subdivision Plat	Phase II Drainage Report			P&Z			
	Final Subdivision Plat/Replat	Phase III Drainage Report			P&Z and C	zil		
	Minor Subdivision	Determined by City Engineer						
	Exempt Subdivision Determined by City Engineer			P&Z and City Council Staff				
1	Exempt Subdivision Determined by City Engineer Start							

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER	CD	P&Z	СС	OTHER /	
	ALLOWED	DIRECTOR	1 42		COMMENTS	
Note: The Drainage Report submittal re Table are general guidelines and do no under which specific drainage submittal submittal, the applicant shall consult submittal requirements regarding app addressed in this Table.	t represent all cir s may be required. with the City E	cumstances Prior to the ngineer for				
§5.1 B.3. Only historic runoff shall be released from the site.						
§5.1 B.4. Drainage shall comply with state and federal requirements	\checkmark		1			
§5.1 C. Floodplain	\checkmark					
§5.2 Slope Protection Standards						
§5.2 A. Density Calculation for Residential Development on Slopes >10%						
§5.2 A.1. Applicability						
§5.2A.3. Dimensional Standards	\checkmark				Variance	
§5.2 B. Development Restrictions on Steep Slopes						
§5.2 B.2. New Structures—Existing Slopes in Excess of Ten Percent			\checkmark			
§5.2 B. 2.a. New development subject to review		V				
§5.2 B.2.b.i. Minimized Site Disturbance						
§5.2 B.2.b.ii. Shared utilities and driveway access		\checkmark				
§5.2 B.2.b.iii. No new construction in areas of instability		\checkmark				
§5.2 B.2.b.iv. Applicant must demonstrate that site is not instable and development will not cause instability						
§5.2 B.2.c. Measurement of steepness of slope						
§5.2 B.3. Structure Clearance from Steep Slopes		γ				
\$5.2 B.4. Grading, Clearing and Excavation – slope in Excess of Ten Percent		γ				
§5.2 B.5. Roads/Driveways – slopes in Excess of Ten Percent		\checkmark				
§5.3 B. Grading Plan			rec	\checkmark	Subdivision	
§5.3 B. Grading Plan		\checkmark			Site development	
§5.3 C. Plan Preparation		\checkmark				

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION NO WAIVER CD P&Z OT CODE SECTION Automatic Description P&Z CC OT						
CODE SECTION	ALLOWED	DIRECTOR	ræz		COMMENTS	
§5.3 D. Grading Standards						
§5.3 D.1.Approval/Permit Required						
§5.3 D.2. Limits on Changing Natural Grade		\checkmark				
§5.3 D.3. Cutting and Creating Benches						
§5.3 D.4. Grading For Accessory Building		1				
Pads Discouraged		\checkmark				
§5.3 D.5. Limits on Graded Filled Manmade Slopes						
§5.3 D.5.b. slopes shall not exceed 3:1			rec	V	subdivision	
§5.3 D.5.b. slopes shall not exceed 3:1		V			Site	
3*** _ ********************************					development	
§5.3 D.5.c. Situations for 2:1 slope for road				,		
construction			rec	\checkmark	subdivision	
§5.3 D.6. Retaining Walls				1		
\$5.3 D.6.a.i. To provide breaks in slopes >30%		V		1		
§5.3 D.6.a.ii. 6' height restriction		V		1		
§5.3 D.6.a.iii. Engineering requirement	V	,				
§5.3 D.6.iv. Horizontal terrace requirement	,					
§5.3 D.6.v. Screening requirement		Ň				
§5.3 D.6.vi. Compliance with Building Codes	<u>ا</u>	v v				
§5.3 D.6.b. Filling or Dredging of Waterways	• ·					
Prohibited.	\checkmark					
§5.3 D.6.c. Detention/Stormwater Facilities						
§5.3 D.7. Restoration of Disturbed Areas	N					
§5.3 D.7. Restolation of Disturbed Areas						
§5.3 D.7.b. Revegetation Required	N					
§5.3 D.7.c. Timeline		V				
		v				
§5.3 D.7.d. Man-made Slopes Greater than 25 Percent		\checkmark				
§5.3 D.7.e Man-made Slopes Greater than 50						
Percent		\checkmark				
		V				
§5.3 D.7.f. Topsoil Stockpiled		N				
\$5.3 D.8. Limitations of Disturbance						
§5.3 D.8.d. Development Standards						
\$5.3 D.8.d.i Approval of erosion and		\checkmark				
sedimentation control required.						
\$5.3 D.8.d.ii. No development outside LOD		\checkmark				
except as provided in §5.3 D.8.d.iii. (below):						
\$5.3 D.8.d.iii. Disturbance or construction may						
occur outside LOD with written consent of		\checkmark				
landowner and approval of staff for limited						
purposes.						
\$5.3 D.8.e. LOD shall be designated on Final			rec	\checkmark		
Grading and Drainage Plans						
§5.3 D.8.f. Standards for Protection during		\checkmark				
Construction.						
§5.3 E. Construction Stormwater Management		\checkmark				
Plan. \$5.4 Wotland and Stugary Couridan						
§5.4 Wetland and Streams Corridor						

TABLE 9-1 DECISION-MAKING FOR WAIVERS						
CODE SECTION	NO WAIVER Allowed	CD DIRECTOR	P&Z	СС	OTHER / COMMENTS	
§5.4 C. Other Regulations						
\$5.4 C.1. This Section does not supersede other regulations. More stringent regulations apply.			rec	\checkmark		
§5.4 C.2. No construction or disturbance within delineated wetlands	\checkmark					
§5.4 E. Buffer/Setback Areas						
§5.4 E.1. Major Ditch and River Corridors						
§5.4 E.1.a.i. Major Ditches						
§5.4 E.1.a.ii. Gunnison River and Tomichi Creek Corridors						
§5.4 E.1.a.ii. a) Setbacks						
§5.4 E.1.a.ii. b) Exception						
§5.4 E.1.b. Parking Lot Setbacks						
§5.4 E.2.a. Wetlands not included as part of platted development lot.			rec	\checkmark		
§5.4 E.2.b. 50' setback from wetlands.						
§5.4 E.3. Private Open Areas and Landscaping Credit		\checkmark				
§5.4 F. Development Standards						
§5.4 F.1. Prohibited Activities		\checkmark				
§5.4 F.2 Utilities						
§5.4 F.3 Recreation, Education or Scientific Activities		\checkmark				
§5.4 G. Preservation of Vegetation						
§5.4 H. Wetland Mitigation Requirements						
§5.4 H.1. Restoration required	V					
§5.4 H.2. Alteration of wetlands requires mitigation			\checkmark			